

PHP Version 5.1.2

System	Linux psyche 2.6.16.54-0.2.5-smp #1 SMP Mon Jan 21 13:29:51 UTC 2008 x86_64
Build Date	Dec 12 2007 02:14:21
Configure Command	'./configure' '--prefix=/usr' '--datadir=/usr/share/php5' '--mandir=/usr/share/man' '--bindir=/usr/bin' '--with-libdir=lib64' '--includedir=/usr/include' '--sysconfdir=/etc/php5/apache2' '--with-config-file-path=/etc/php5/apache2' '--with-config-file-scan-dir=/etc/php5/conf.d' '--with-exec-dir=/usr/lib64/php5/bin' '--enable-magic-quotes' '--enable-libxml' '--enable-session' '--with-mm' '--with-pcre-regex=/usr' '--enable-xml' '--enable-simplexml' '--enable-spl' '--enable-safe-mode' '--disable-debug' '--enable-memory-limit' '--enable-inline-optimization' '--enable-zend-multibyte' '--disable-rpath' '--with-apxs2=/usr/sbin/apxs2' '--disable-all' '--disable-cli'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/Zend/etc/php.ini
Scan this dir for additional .ini files	/etc/php5/conf.d
additional .ini files parsed	/etc/php5/conf.d/bz2.ini, /etc/php5/conf.d/calendar.ini, /etc/php5/conf.d/curl.ini, /etc/php5/conf.d/dom.ini, /etc/php5/conf.d/filepro.ini, /etc/php5/conf.d/ftp.ini, /etc/php5/conf.d/gd.ini, /etc/php5/conf.d/gettext.ini, /etc/php5/conf.d/imap.ini, /etc/php5/conf.d/ldap.ini, /etc/php5/conf.d/mbstring.ini, /etc/php5/conf.d/mhash.ini, /etc/php5/conf.d/mysql.ini, /etc/php5/conf.d/openssl.ini, /etc/php5/conf.d/snmp.ini, /etc/php5/conf.d/tokenizer.ini, /etc/php5/conf.d/zlib.ini
PHP API	20041225
PHP Extension	20050922
Zend Extension	220051025
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, http, ftp, compress.bzip2, https, ftps, compress.zlib
Registered	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls

Stream Socket
Transports

Registered Stream Filters string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, bzip2.*, zlib.*



This server is protected with the Suhosin Patch 0.9.6

Copyright (c) 2006 [Hardened-PHP Project](#)



This program makes use of the Zend Scripting Language Engine:

Zend Engine v2.1.0, Copyright (c) 1998-2006 Zend Technologies

with Zend Extension Manager v1.2.2, Copyright (c) 2003-2007, by Zend Technologies

with Zend Optimizer v3.3.3, Copyright (c) 1998-2007, by Zend Technologies

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off

detect_unicode	On	On
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	/var/log/php5.log	/var/log/php5.log
error_prepend_string		
error_reporting	2039	2039
expose_php	On	On
extension_dir	/usr/lib64/php5/extensions	/usr/lib64/php5/extensions
file_uploads	On	On
highlight.bg		
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/php5:/usr/share/ php5/PEAR	./usr/share/php5:/usr/share/p hp5/PEAR
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	600	600
max_input_nesting_level	64	64
max_input_time	600	600
memory_limit	512M	512M
open_basedir	<i>no value</i>	<i>no value</i>

output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	<i>no value</i>	<i>no value</i>
suhosin.log.script	<i>no value</i>	<i>no value</i>
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	32M	32M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0

xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.3 (Linux/SUSE)
Apache API Version	20051115
Server Administrator	administrator@microware.cz
Hostname:Port	helpdesk.microware.cz:0
User/Group	wwwrun(30)/8
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/srv/www
Loaded Modules	core prefork http_core mod_so mod_authz_host mod_actions mod_alias mod_auth_basic mod_authz_groupfile mod_authn_file mod_authz_user mod_autoindex mod_cgi mod_dir mod_include mod_log_config mod_mime mod_negotiation mod_setenvif mod_status mod_userdir mod_asis mod_imagemap mod_ssl mod_php5 mod_authz_default

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTPS	on
HTTP_HOST	helpdesk.microware.cz
HTTP_USER_AGENT	Mozilla/5.0 (X11; U; Linux i686; cs-CZ; rv:1.8.1.12) Gecko/20080203 SUSE/2.0.0.12-2.1 Firefox/2.0.0.12
HTTP_ACCEPT	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	cs,en-us;q=0.7,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip,deflate

HTTP_ACCEPT_CHARSET ISO-8859-2,utf-8;q=0.7,*;q=0.7
 HTTP_KEEP_ALIVE 300
 HTTP_CONNECTION keep-alive
 PATH /home/tmac/bin:/usr/local/bin:/usr/bin:/sbin:/usr/X11R6/bin:/usr/sbin:/bin:/usr/games:/opt/gnome/bin:/opt/kde3/bin:/usr/lib/mit/bin:/usr/lib/mit/sbin
 SERVER_SIGNATURE <address>Apache/2.2.3 (Linux/SUSE) Server at helpdesk.microware.cz Port 443</address>
 SERVER_SOFTWARE Apache/2.2.3 (Linux/SUSE)
 SERVER_NAME helpdesk.microware.cz
 SERVER_ADDR 10.254.254.243
 SERVER_PORT 443
 REMOTE_ADDR 10.254.254.2
 DOCUMENT_ROOT /srv/www/htdocs
 SERVER_ADMIN administrator@microware.cz
 SCRIPT_FILENAME /srv/www/htdocs/support/test/index.php
 REMOTE_PORT 57624
 GATEWAY_INTERFACE CGI/1.1
 SERVER_PROTOCOL HTTP/1.1
 REQUEST_METHOD GET
 QUERY_STRING *no value*
 REQUEST_URI /support/test/
 SCRIPT_NAME /support/test/index.php

HTTP Headers Information

HTTP Request Headers

HTTP Request GET /support/test/ HTTP/1.1
 Host helpdesk.microware.cz
 User-Agent Mozilla/5.0 (X11; U; Linux i686; cs-CZ; rv:1.8.1.12) Gecko/20080203 SUSE/2.0.0.12-2.1 Firefox/2.0.0.12
 Accept text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
 Accept-Language cs,en-us;q=0.7,en;q=0.3

Accept-Encoding	gzip,deflate
Accept-Charset	ISO-8859-2,utf-8;q=0.7,*;q=0.7
Keep-Alive	300
Connection	keep-alive

HTTP Response Headers

X-Powered-By	PHP/5.1.2
Keep-Alive	timeout=15, max=99
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

calendar

Calendar support	enabled
------------------	---------

curl

CURL support	enabled
CURL Information	libcurl/7.15.1 OpenSSL/0.9.8a zlib/1.2.3 libidn/0.6.0

date

date/time support	enabled
Timezone Database Version	2007.10
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333

date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.23
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.10
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled
JIS-mapped Japanese Font Support	enabled

gettext

GetText Support	enabled
-----------------	---------

imap

IMAP c-Client Version 2004
SSL Support enabled

ldap

LDAP Support enabled
RCS Version \$Id: ldap.c,v 1.161.2.3 2006/01/01 12:50:08 sniper Exp \$
Total Links 0/unlimited
API Version 3001
Vendor Name OpenLDAP
Vendor Version 20332
SASL Support Enabled

libxml

libXML support active
libXML Version 2.6.23
libXML streams enabled

mbstring

Multibyte Support enabled
Multibyte string engine libmbfl
Multibyte (japanese) regex support enabled
Multibyte regex (oniguruma) version 3.7.1

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.script_encoding	<i>no value</i>	<i>no value</i>

mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	20060101

mysql

MySQL Support	enabled
----------------------	----------------

Active Persistent Links	0
Active Links	0
Client API version	5.0.26
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib64 -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8a 11 Oct 2005

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
--	---------

Reflection

Reflection **enabled**

Version \$Id: php_reflection.c,v 1.164.2.17 2006/01/01 12:50:12 sniper Exp \$

session

Session Support enabled
 Registered save handlers files user mm
 Registered serializer handlers php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php5	/var/lib/php5
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.11 \$
Schema support	enabled

snmp

NET-SNMP Support	enabled
NET-SNMP Version	5.3.0.1

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60

t

safe_mode_allowed_e nv_vars	PHP_	PHP_
safe_mode_protected_ env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,inp t=src,form=fakeentry	a=href,area=href,frame=src,inp t=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support enabled

xml

XML Support active
XML Namespace Support active
libxml2 Version 2.6.23

Zend Optimizer

Optimization Pass 1 enabled
Optimization Pass 2 enabled
Optimization Pass 3 enabled
Optimization Pass 4 enabled
Optimization Pass 9 enabled
Zend Loader enabled
License Path *no value*
Obfuscation level 3

zlib

ZLib Support enabled
Stream Wrapper support compress.zlib://
Stream Filter support zlib.inflate, zlib.deflate
Compiled Version 1.2.3
Linked Version 1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off

zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

filepro

Environment

Variable	Value
LESSKEY	/etc/lesskey.bin
MANPATH	/usr/local/man:/usr/share/man:/usr/X11R6/man:/opt/gnome/share/man
INFODIR	/usr/local/info:/usr/share/info:/usr/info
NNTPSERVER	news
HOSTNAME	psyche
XKEYSYMDB	/usr/X11R6/lib/X11/XKeysymDB
GNOME2_PATH	/usr/local:/opt/gnome:/usr
SHELL	/bin/bash
TERM	xterm
HOST	psyche
HISTSIZE	1000
PROFILEREAD	true
SSH_CLIENT	10.254.254.2 47902 22
MORE	-sl
get_module_list_done	true
SSH_TTY	/dev/pts/0
LC_ALL	POSIX
USER	tmac
GROFF_NO_SGR	yes
LS_COLORS	no=00;fi=00;di=01;34:ln=00;36:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=41;33;01:ex=00;32:*.cmd=00;32:*.exe=01;32:*.com=01;32:*.bat=01;32:*.btm=01;32:*.dll=01;32:*.tar=00;31:*.tbz=00;31:*.tgz=00;31:*.rpm=00;31:*.deb=00;31:*.arj=00;31:*.taz=00;31:*.lzh=00;31:*.zip=00;31:*.zoo=00;31:*.z=00;31:*.Z=00;31:*.gz=00;31:*.bz2=00;31:*.tb2=00;31:*.tz2=00;31:*.tbz2=00;31:*.avi=01;35:*.bmp=01;35:*.fli=01;35:*.gif=01;35:*.jpg=01;35:*.jpeg=01;35:*.mng=01;35:*.mov=01;35:*.mpg=01;35:*.pcx=01;35:*.pbm=01;35:*.pgm=01;35:*.png=01;35:*.ppm=01;35:*.tga=01;35:*.tif=01;35:*.xbm=01;35:*.xpm=01;35:*.dl=01;35:*.gl=01;35:*.wmv=01;35:*.aiff=00;32:*.a

```

u=00;32:*.mid=00;32:*.mp3=00;32:*.ogg=00;32:*.voc=00;32:*.wav=00;32:
XNLSPATH /usr/X11R6/lib/X11/nls
ENV /etc/bash.bashrc
HOSTTYPE x86_64
FROM_HEADER no value
PAGER less
COLUMNS 80
CSHEDIT emacs
XDG_CONFIG_DIRS /usr/local/etc/xdg:/etc/xdg:/etc/opt/gnome/xdg/
get_includes_done true
MINICOM -c on

PATH /home/tmac/bin:/usr/local/bin:/usr/bin:/sbin:/usr/X11R6/bin:/usr/
sbin:/bin:/usr/games:/opt/gnome/bin:/opt/kde3/bin:/usr/lib/mit/bi
n:/usr/lib/mit/sbin
MAIL /var/mail/tmac
CPU x86_64
SSH_SENDS_LOCALE yes
PWD /home/tmac
INPUTRC /home/tmac/.inputrc
LANG cs_CZ.UTF-8
PYTHONSTARTUP /etc/pythonstart
LINES 24
TEXINPUTS :/home/tmac/.TeX:/usr/share/doc/.TeX:/usr/doc/.TeX
HOME /root
SHLVL 4
QT_SYSTEM_DIR /usr/share/desktop-data
OSTYPE linux
LESS_ADVANCED_PR
EPROCESSOR no
XCURSOR_THEME Industrial
LS_OPTIONS -A -N --color=tty -T 0
WINDOWMANAGER /usr/X11R6/bin/gnome
GTK_PATH /usr/local/lib/gtk-2.0:/opt/gnome/lib/gtk-2.0:/usr/lib/gtk-2.0
LOGNAME tmac
MACHTYPE x86_64-suse-linux
LESS -M -I
G_FILENAME_ENCO
DING @locale,UTF-8,ISO-8859-2,CP1250
CVS_RSH ssh
GTK_PATH64 /usr/local/lib64/gtk-2.0:/opt/gnome/lib64/gtk-2.0:/usr/lib64/gtk-

```

	2.0
SSH_CONNECTION	10.254.254.2 47902 10.254.254.243 22
ACLOCAL_FLAGS	-I /opt/gnome/share/aclocal
XDG_DATA_DIRS	/usr/local/share/:/usr/share:/etc/opt/kde3/share:/opt/kde3/share:/opt/gnome/share/
LESSOPEN	lessopen.sh %s
PKG_CONFIG_PATH	/usr/local/lib/pkgconfig:/usr/local/share/pkgconfig:/usr/lib64/pkgconfig:/usr/share/pkgconfig:/opt/kde3/lib64/pkgconfig:/opt/gnome/lib64/pkgconfig:/opt/gnome/share/pkgconfig
INFOPATH	/usr/local/info:/usr/share/info:/usr/info:/opt/gnome/share/info
LESSCLOSE	lessclose.sh %s %s
G_BROKEN_FILENAMES	1
COLORTERM	1
mc	() { . /usr/share/mc/bin/mc-wrapper.sh }
_	/sbin/startproc
PREVLEVEL	N
RUNLEVEL	5
DAEMON	/usr/sbin/httpd2-prefork

PHP Variables

Variable	Value
\$_SERVER["HTTPS"]	on
\$_SERVER["HTTP_HOST"]	helpdesk.microware.cz
\$_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; U; Linux i686; cs-CZ; rv:1.8.1.12) Gecko/20080203 SUSE/2.0.0.12-2.1 Firefox/2.0.0.12
\$_SERVER["HTTP_ACCEPT"]	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
\$_SERVER["HTTP_ACCEPT_LANGUAGE"]	cs,en-us;q=0.7,en;q=0.3
\$_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
\$_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-2,utf-8;q=0.7,*;q=0.7
\$_SERVER["HTTP_KEEP_ALIVE"]	300
\$_SERVER["HTTP_CONNECTION"]	keep-alive
\$_SERVER["PATH"]	/home/tmac/bin:/usr/local/bin:/usr/bin:/sbin:/usr/X11R6/bin:/usr/sbin:/bin:/usr/games:/opt/gnome/bin:/opt/kde3/bin:/usr/lib/mit


```

/bin:/usr/lib/mit/sbin
_SERVER["SERVER_SIGNATURE"] <address>Apache/2.2.3 (Linux/SUSE) Server at
helpdesk.microware.cz Port 443</address>
_SERVER["SERVER_SOFTWARE"] Apache/2.2.3 (Linux/SUSE)
_SERVER["SERVER_NAME"] helpdesk.microware.cz
_SERVER["SERVER_ADDR"] 10.254.254.243
_SERVER["SERVER_PORT"] 443
_SERVER["REMOTE_ADDR"] 10.254.254.2
_SERVER["DOCUMENT_ROOT"] /srv/www/htdocs
_SERVER["SERVER_ADMIN"] administrator@microware.cz
_SERVER["SCRIPT_FILENAME"] /srv/www/htdocs/support/test/index.php
_SERVER["REMOTE_PORT"] 57624
_SERVER["GATEWAY_INTERFACE"] CGI/1.1
_SERVER["SERVER_PROTOCOL"] HTTP/1.1
_SERVER["REQUEST_METHOD"] GET
_SERVER["QUERY_STRING"] no value
_SERVER["REQUEST_URI"] /support/test/
_SERVER["SCRIPT_NAME"] /support/test/index.php
_SERVER["PHP_SELF"] /support/test/index.php
_SERVER["REQUEST_TIME"] 1203610493

```

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY

WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.